

The world's favourite lock



YALE LOCKSETS

Yale Locksets offer protection and convenience
for your business, home and your family.

Contents



Commercial Key in Knob Lockset – YK16/YK17
Page **2**



Commercial Key in Lever Lockset – YL16/YL17
Page **4**



Residential Key in Knob Lockset - Ball
Page **7**



Residential Key in Knob Lockset - Bell
Page **8**



Residential Key in Lever Lockset - YL1
Page **9**



Residential Key in Lever Lockset - YL2
Page **10**

Commercial Key in Knob Lockset – YK16/YK17



The Yale Commercial Series Locksets incorporate a cylindrical chassis design housing a PD cylinder. The Yale Commercial Series offers a wide range of functions to accommodate a broad range of applications.

For added security it is recommended that Yale Commercial Series Knob and Lever Locksets are used in conjunction with Yale Commercial Deadbolts.

Fire Rated

Yale Commercial Series cylindrical locksets have been successfully tested up to 2 hours on fire door assemblies in accordance with Australian Standard AS-1905 Part 1, Fire Resistant Doorsets.

Backset

Standard 60mm backset for key in knob.

Latch

Stainless steel latch bolt.

Cylinder

Standard "PD" type cylinder keyed to C4 profile with two keys.

Door Thickness

Knob suits door thickness 32 – 46mm.

Finishes

Satin Stainless Steel (SS)

Standard Keying

Supplied individually keyed with two keys per lock
78,000 key combinations

Key blanks:

- V06 5PIN C4 (Standard)
- V07 6PIN C4

Restricted Special Keying

Yale Semi-Commercial locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please contact your local sales office or customer service for specific information on keying systems.

Handing

Handing is field changeable.

Commercial Key in Knob Lockset – YK16/YK17

YK16/EXT/SS Exterior Deadlatch


60mm backset

Outside

Opened by knob when unlocked.

Key unlocks exterior knob.

*70mm backset option = YK17/EXT/SS



Inside


Opened by knob at all times. Push button locks exterior knob.

YK16/PAS/SS Passage Set

60mm backset

Outside

Opened by knob at all times.



Inside

Opened by knob at all times.


YK16/PRI/SS Privacy Set*

60mm backset

Outside

Opened by knob when unlocked. Coin or screwdriver in emergency button unlocks knob.

*Includes anti-lockout function.



Inside

Opened by knob at all times. Push button locks exterior knob.


YK16/GLA/SS Glassdoor Deadlatch

60mm backset

Outside

Opened by knob when unlocked.

Key locks or unlocks both knobs.



Inside


Opened by knob when unlocked. Key locks or unlocks both knobs.

YK16/DUM/SS Dummy Trim

60mm backset

Outside

For use where only a door pull is required.



Inside

Available with either concealed or wood screw fixing.


YK16/CLA/SS Classroom Deadlatch

60mm backset

Outside

Opened by knob when unlocked.

Key locks or unlocks exterior knob.



Inside

Opened by knob at all times.


YK16/STO/SS Storeroom Deadlatch

60mm backset

Outside

Opened by key only.

Outside knob is rigid at all times.



Inside

Opened by knob at all times.

Commercial Key in Lever Lockset – YL16/YL17



The Yale Commercial Series Locksets incorporate a cylindrical chassis design housing a PD cylinder. The Yale Commercial Series offers a wide range of functions to accommodate a broad range of applications.

For added security it is recommended that Yale Commercial Series Knob and Lever Locksets are used in conjunction with Yale Semi-Commercial Deadbolts.

Fire Rated

Yale Commercial Series cylindrical locksets have been successfully tested up to 2 hours on fire door assemblies in accordance with Australian Standard AS-1905 Part 1, Fire Resistant Doorsets.

Backset

Standard 70mm backset.

Latch

Stainless steel latch bolt.

Cylinder

Standard "PD" type cylinder keyed to C4 profile with two keys.

Door Thickness

Lever suits door thickness 35 – 46mm.

Finishes

Satin Chrome Brushed (SC)

Standard Keying

Supplied individually keyed with two keys per lock 78,000 key combinations

Key blanks:

- V06 5PIN C4 (Standard)
- V07 6PIN C4

Restricted Special Keying

Yale Commercial locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please contact your local sales office or customer service for specific information on keying systems.

Handing

Handing is field changeable.

Commercial Key in Lever Lockset – YL16/YL17


YL17/EXT/SC Exterior Deadlatch

70mm backset

Outside

Opened by handle when unlocked.
Key unlocks exterior handle.

*60mm backset option = YL16/EXT/SC



Inside

Opened by handle at all times. Push button locks exterior handle.


YL17/PAS/SC Passage Set

70mm backset

Outside

Opened by handle at all times.

*60mm backset option = YL16/PAS/SC



Inside

Opened by handle at all times.

YL17/PRI/SC Privacy Set*


70mm backset

Outside

Opened by handle when unlocked.
Coin or screwdriver in emergency button unlocks handle.

*Includes anti-lockout function.

*60mm backset option = YL16/PRI/SC



Inside


Opened by handle when unlocked. Push button locks exterior handle.

YL17/GLA/SC Glassdoor Lockset

70mm backset

Outside

Opened by handle when free.
Key locks or unlocks both handles.



Inside


Opened by handle when free. Key locks or unlocks both handles.

YL17/DUM/SC Dummy Trim

70mm backset

Outside

For use where only a door pull is required.



Available with either concealed or wood screw fixing.


YL17/CLA/SC Classroom Set

70mm backset

Outside

Opened by handle when unlocked.
Key locks or unlocks exterior handle.

*60mm backset option = YL16/CLA/SC



Inside

Opened by handle at all times.


YL17/STO/SC Storeroom Set

70mm backset

Outside

Opened by key only. Outside handle is rigid at all times.

*60mm backset option = YL16/STO/SC



Inside

Opened by handle at all times.

Commercial Lockset Accessories



Latches

Description	Part Number
Deadlatch 60mm	SPY/DL60/SC
Plainlatch 60mm	SPY/PL60/SC
Deadlatch 70mm	SPY/DL70/SC
Privacy Latch 60mm	SPY/PLP60/SC

Residential Key in Knob Lockset - Ball



Designed for residential applications.

Features & Specifications

- Suits hinged doors 35-45mm thick
- Suitable for timber doors
- Ease of retrofit to existing doors as a replacement
- Latch is adjustable for 60-70mm backset
- Yale Keyway
- Can be keyed alike to other Yale products
- Designed to Yale quality and performance standards

Entrance Set

Operated by key from outside and turnsnib from inside

Privacy Set

Operated by turnsnib inside with outside emergency release

Passage Set

Outside and inside knob/lever always free

Keying

Yale profile

No. of keys

3 nickel plated keys

Backset

Adjustable 60mm - 70mm

Door Thickness

35mm - 45mm (suitable for timber doors)

Finishes

Chrome Plate (CP)

Satin Chrome (SC)

Ordering - Display Pack

Description	Part Number	Finish
Entrance Set		
	YK1/ENT/SC	Satin Chrome Brushed
	YK1/ENT/CP	Chrome Plate
Passage Set		
	YK1/PASS/SC	Satin Chrome Brushed
	YK1/PASS/CP	Chrome Plate
Privacy Set		
	YK1/PRIV/SC	Satin Chrome Brushed
	YK1/PRIV/CP	Chrome Plate

Residential Key in Knob Lockset - Bell



Designed for residential applications.

Features & Specifications

- Suits hinged doors 35-45mm thick
- Suitable for timber doors
- Ease of retrofit to existing doors as a replacement
- Latch is adjustable for 60-70mm backset
- Yale Keyway
- Can be keyed alike to other Yale products
- Designed to Yale quality and performance standards

Entrance Set

Operated by key from outside and turnsnib from inside

Privacy Set

Operated by turnsnib inside with outside emergency release

Passage Set

Outside and inside knob/lever always free

Keying

Yale profile

No. of keys

3 nickel plated keys

Backset

Adjustable 60mm - 70mm

Door Thickness

35mm - 45mm (suitable for timber doors)

Finishes

Chrome Plate (CP)

Satin Chrome (SC)

Ordering - Display Pack

Description	Part Number	Finish
Entrance Set		
	YK2/ENT/SC	Satin Chrome Brushed
	YK2/ENT/CP	Chrome Plate
Passage Set		
	YK2/PASS/SC	Satin Chrome Brushed
	YK2/PASS/CP	Chrome Plate
Privacy Set		
	YK2/PRIV/SC	Satin Chrome Brushed
	YK2/PRIV/CP	Chrome Plate

Residential Key in Lever Lockset - YL1



Designed for residential applications.

Features & Specifications

- Suits hinged doors 35-45mm thick
- Suitable for timber doors
- Ease of retrofit to existing doors as a replacement
- Latch is adjustable for 60-70mm backset
- Yale Keyway
- Can be keyed alike to other Yale products
- Designed to Yale quality and performance standards

Entrance Set

Operated by key from outside and turnsnib from inside

Privacy Set

Operated by turnsnib inside with outside emergency release

Passage Set

Outside and inside knob/lever always free

Keying

Yale profile

No. of keys

3 nickel plated keys

Backset

Adjustable 60mm - 70mm

Door Thickness

35mm - 45mm (suitable for timber doors)

Finishes

Chrome Plate (CP)

Satin Chrome (SC)

Ordering - Display Pack

Description	Part Number	Finish
Entrance Set		
	YL1/ENT/SC	Satin Chrome Brushed
	YL1/ENT/CP	Chrome Plate
Passage Set		
	YL1/PASS/SC	Satin Chrome Brushed
	YL1/PASS/CP	Chrome Plate
Privacy Set		
	YL1/PRIV/SC	Satin Chrome Brushed
	YL1/PRIV/CP	Chrome Plate

Residential Key in Lever Lockset - YL2



Designed for residential applications.

Features & Specifications

- Suits hinged doors 35-45mm thick
- Suitable for timber doors
- Ease of retrofit to existing doors as a replacement
- Latch is adjustable for 60-70mm backset
- Yale Keyway
- Can be keyed alike to other Yale products
- Designed to Yale quality and performance standards

Entrance Set

Operated by key from outside and turnsnib from inside

Privacy Set

Operated by turnsnib inside with outside emergency release

Passage Set

Outside and inside knob/lever always free

Keying

Yale profile

No. of keys

3 nickel plated keys

Backset

Adjustable 60mm - 70mm

Door Thickness

35mm - 45mm (suitable for timber doors)

Finishes

Chrome Plate (CP)

Satin Chrome (SC)

Ordering - Display Pack

Description	Part Number	Finish
Entrance Set		
	YL2/ENT/SC	Satin Chrome Brushed
	YL2/ENT/CP	Chrome Plate
Passage Set		
	YL2/PASS/SC	Satin Chrome Brushed
	YL2/PASS/CP	Chrome Plate
Privacy Set		
	YL2/PRIV/SC	Satin Chrome Brushed
	YL2/PRIV/CP	Chrome Plate



The world's favourite lock

The **Yale Brand**, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

The **ASSA ABLOY** group is the world's leading manufacturer and supplier of locking solutions, dedicated to satisfy user needs for security, safety and convenience.

yalelock.com.au

ASSA ABLOY Australia Head Office
ASSA ABLOY Australia Pty Limited
235 Huntingdale Road, Oakleigh
Victoria, 3166 Australia

1300 LOCK UP (1300 562 587)
info.au@assaabloy.com
assaabloy.com.au

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2017 copyright by ASSA ABLOY All rights reserved

ASSA ABLOY Australia Pty Limited ABN 90 086 451 907 © 2017_09

