

The world's favourite lock



YALE

MORTICE LOCKS

The Yale short backset mortice locks are designed and packaged specifically for the commercial metal and frameless glass door fabricator markets.

Mortice Locks



The Yale short backset mortice locks are designed and packaged specifically for the commercial metal and frameless glass door fabricator markets.

Application

A range of 23mm backset deadlocks and sliding door locks, suitable for use on aluminium, or frameless glass doors in industrial and commercial buildings, institutions, clubs and similar buildings.

Deadlocks

A single action bolt with steel case and laminated steel bolt. Available in both 22mm bolt throw and 36mm bolt throw variations. The bolt is positively dogged in both the locked and unlocked position before the key can be withdrawn.

Sliding Door Lock

A similar case and mechanism to the deadlock with a 29mm hook bolt designed to engage in a self-latching strike.

Configurations

Each lock is supplied with two escutcheons and is available in double cylinder and single cylinder and turn configurations.

Frameless Glass Doors

Deadlocks may be used with an appropriate patch fitting on frameless glass doors. A trough strike is available for this application.

Security

Conforms with level S1 (Physical Security) Australian Lock Standard (Standard No. AS4145.2-1993).

Durability

Conforms with level D3 (Durability) Australian Lock Standard (Standard No. AS 4145.2-1993).

Door Thickness

Minimum door thickness is 30mm (due to the width of the face plate). Maximum door thickness using a standard cylinder and cylinder escutcheons and/or turn is 58mm.

Handing

All functions are fully reversible. Cylinders and turns are fitted on site to suit door handing.

Standard Keying

Supplied individually keyed in "C4" keyway with


2 keys per lock.

Finish


Satin Chrome (SC)

Mortice Locks


Hinged Door Deadlocks




Sliding Door Deadlocks



Frameless Glass Trough Strike




Self-latching Strike (supplied with Sliding Door Deadlocks)



All dimensions are in millimetres.

Mortice Locks

Y590 Series Short Backset Mortice Deadlocks



Cylinder and Turnknob Reversible

Outside

Locked or unlocked by key.

Inside


Locked or unlocked by turnknob.

Order Codes

22mm Deadbolt	Y590CTSC
---------------	----------

29mm Hookbolt	Y591CTSC
---------------	----------

36mm Deadbolt	Y592CTSC
---------------	----------



Double Cylinder Reversible

Recommended for glass doors.

Outside

Locked or unlocked by key.

Inside

Locked or unlocked by key.

Order Codes

22mm Deadbolt	Y590CCSC
---------------	----------

29mm Hookbolt	Y591CCSC
---------------	----------

36mm Deadbolt	Y592CCSC
---------------	----------



The world's favourite lock

The **Yale Brand**, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

The **ASSA ABLOY** group is the world's leading manufacturer and supplier of locking solutions, dedicated to satisfy user needs for security, safety and convenience.

yalelock.com.au

ASSA ABLOY Australia Head Office
ASSA ABLOY Australia Pty Limited
235 Huntingdale Road, Oakleigh
Victoria, 3166 Australia

1300 LOCK UP (1300 562 587)
info.au@assaabloy.com
assaabloy.com.au

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2017 copyright by ASSA ABLOY All rights reserved

ASSA ABLOY Australia Pty Limited ABN 90 086 451 907 © 2017_09

